26/11/16 Morning Saturday

[This question paper contains 4 printed pages.]

Sr. No. of Question Paper : 1788GC-3Your Roll No.....Unique Paper Code: 32351101Name of the Paper: C 1 - CalculusName of the Course: B.Sc. (Hons.) / Maths - I (CBCS)Semester: IDuration : 3 HoursMaximum Marks : 75

Instructions for Candidates

1. Write your Roll No. on the top immediately on receipt of this question paper.

- 2. All the sections are compulsory.
- 3. All questions carry equal marks.
- 4. Use of non-programmable scientific calculator is allowed.

SECTION - I

Attempt any four questions from Section I.

1. If
$$\cos^{-1}\frac{y}{b} = \log\left(\frac{x}{n}\right)^n$$
 then show that

$$x^{2}y_{n+2} + (2n+1)xy_{n+1} + 2n^{2}y_{n} = 0$$

2. Sketch the graph of

 $f(x) = \frac{1}{3}x^3 - 9x + 2$ by finding intervals of increase and decrease, critical points, relative extrema and concavity for the given function.

3. Find the horizontal asymptote to the graph of the function

$$f(x) = x^{5}\left[\sin\frac{1}{x} - \frac{1}{x} + \frac{1}{6x^{3}}\right]$$

4. It is projected that t years from now, the population of a certain country will be

 $P(t) = 50 e^{0.02t}$ million

- (a) At what rate will the population be changing with respect to time 10 years from now.
- (b) At what percentage rate will the population be changing with respect to time t years from now.
- 5. Sketch the graph of the curve in polar coordinates

 $r^2 = 9\cos 2\theta.$

SECTION - II

Attempt any four questions from Section - II.

6. Find the reduction formula for $\int \sin^n x dx$ where n being positive integer and

hence evaluate $\int_{0}^{\frac{\pi}{2}} \sin^{n} x dx$. Further show that $\int_{0}^{\frac{\pi}{2}} \sin^{n} x dx = \int_{0}^{\frac{\pi}{2}} \cos^{n} x dx$.

7. Find the volume of the solid generated when the region enclosed by the curve $y = \sqrt{x}$, y = 6 - x and y = 0 is revolved about x-axis.

e),

1788

- 8. Find the volume of the solid generated when the region enclosed by the curve $x = 2y 2y^2$ and x = 0 is revolved about x-axis.
- 9. Find the arc length of the parametric curve $x = e^t \sin t$, $y = e^t \cos t$ for $0 \le t \le \frac{\pi}{2}$.
- 10. Find the area of the surface generated by revolving the curve $x = \sqrt{9-y^2}, -2 \le y \le 2$, about y-axis.

SECTION - III

Attempt any three questions from Section – III.

11. Find the equation for a hyperbola passing through the origin with asymptotes

y = 2x + 1 and y = -2x + 3.

1788

- 12. Find the equation of the ellipse whose foci are (1, 2) and (1, 4) and whose minor axis is of length 2.
- 13. Describe the graph of the equation $x^2 4y^2 + 2x + 8y 7 = 0$.
- 14. Trace the conic $x^2 + 2\sqrt{3}xy + 3y^2 + 2\sqrt{3}x 2y = 0$ by rotating the coordinate axes to remove the xy term.

SECTION - IV

Attempt any four questions from Section – IV.

15. Find tangent vector and parametric equation of tangent line to the graph of the vector function

$$\vec{F}(t) = t^2 \hat{i} + (\cos t)\hat{j} + (t^2 \cos t)\hat{k} \quad \text{at} \quad t = \frac{\pi}{2}.$$

- 16. A shell is fired with muzzle speed 150 m/s and angle of elevation 45° from a position 10 m above ground level. Where does the projectile hit the ground and with what speed ?
- 17. Find the tangential and normal components of acceleration of an object that

moves along the parabolic path $y = 4x^2$ at the instant the speed is $\frac{ds}{dt} = 20$.

18. An object moves along the curve

1788

$$r = \frac{1}{1 - \cos \theta}$$
 and $\theta = t$

Find its velocity and acceleration in terms of unit polar vectors u_r and u_{θ} .

19. Find the curvature and radius of curvature for a curve

x = 3cos t, y = 4 sint, z = t at $t = \frac{\pi}{2}$.

1