

7/12/16 (M)

[This question paper contains 4 printed pages.]

Sr. No. of Question Paper : 1797

GC-3

Your Roll No.....

Unique Paper Code : 32371109

Name of the Paper : Calculus

Name of the Course : B.Sc. (Hons.) Statistics under CBCS

Semester : I

Duration : 3 Hours

Maximum Marks : 75

**Instructions for Candidates**

1. Write your Roll No. on the top immediately on receipt of this question paper.
2. Question No. 1 is compulsory.
3. From the remaining attempt **five** questions, selecting at least one from each section.

1. Attempt any **five** parts :

(a) Show that  $\lim_{x \rightarrow 0} \frac{e^x - 1}{\frac{1}{e^x + 1}}$  does not exist.

(b) Evaluate  $\lim_{x \rightarrow 0} \frac{x \cos x - \log(1+x)}{x^2}$ .

(c) Prove that  $\int_0^\infty \frac{x^c}{c^x} dx = \frac{\Gamma(c+1)}{(\log c)^{c+1}}, c > 1$ .

(d) Evaluate  $\int_0^1 \int_0^1 \frac{1}{\sqrt{(1-x^2)(1-y^2)}} dx dy$ .

P.T.O.

- (e) Solve  $(1 + y^2)dx = (\tan^{-1} y - x)dy$ .
- (f)  $(D^2 - 3D + 2)y = 3\sin x$ .
- (g) Find partial differential equation of all planes a distance of  $a$  units from origin.
- (h) Solve partial differential equation  $(y - z)p + (z - x)q = x - y$ . (5×3)

### SECTION - I

2. (a) Determine the minimum value of  $x^2 + y^2 + z^2$  subject to the condition

$$x + 2y - 4z = 5.$$

- (b) If  $y = \cos(m(\sin^{-1} x))$ , show that  $(1 - x^2)y_{n+2} - (2n + 1)xy_{n+1} + (m^2 - n^2)y_n = 0$  and hence evaluate  $y_n(0)$ . (6,6)

3. (a) If  $A$ ,  $B$  and  $C$  are the angles of a triangle such that

$$\sin^2 A + \sin^2 B + \sin^2 C = \sqrt{3}, \text{ prove that } \frac{dA}{dB} = \frac{\tan B - \tan C}{\tan C - \tan A}.$$

- (b) Find the position and nature of the double points on the curve

$$(y - 2)^2 = x(x - 1)^2. \quad (6,6)$$

### SECTION - II

4. (a) Prove that  $\int_0^{\frac{\pi}{2}} \frac{d\theta}{\sqrt{a \cos^4 \theta + b \sin^4 \theta}} = \frac{\Gamma^2\left(\frac{1}{4}\right)}{4\sqrt{\pi}(ab)^{\frac{1}{4}}}.$

- (b) Assuming the validity of differentiation under integral sign, prove that

$$\int_0^{\infty} e^{-x^2} \cos \alpha x \, dx = \frac{\sqrt{\pi}}{2} e^{-\frac{1}{4}\alpha^2}. \quad (6,6)$$

5. (a) Find the limit, when  $n$  tends to infinity, of the sum :  $\sum_{r=1}^{n-1} \frac{1}{n} \sqrt{\frac{n+r}{n-r}}$

(b) Change the order of integration in  $\int_0^{3a} \int_{x^2/4a}^{3a-x} F(x, y) dy dx$  and hence evaluate

$$\text{when } F(x, y) = x + y. \quad (6,6)$$

### SECTION - III

6. Solve the following differential equations :

$$(i) (x^2y - 2xy^2)dx - (x^3 - 3x^2y)dy = 0$$

$$(ii) (1-x^2) \frac{dy}{dx} + 2xy = x(1-x^2)^{\frac{1}{2}} \quad (6,6)$$

7. Solve any two of the following differential equations :

$$(i) x^2 \frac{d^2y}{dx^2} + 7x \frac{dy}{dx} + 13y = \log x$$

$$(ii) (1+2x)^2 \frac{d^2y}{dx^2} - 6(1+2x) \frac{dy}{dx} + 16y = 8(1+2x)^2$$

$$(iii) (D^2 + 2D + 1)y = 2x + x^2 \quad (6,6)$$

## SECTION - IV

8. Solve any two of the following partial differential equations :

$$(i) (x^2 - y^2 - z^2)p + 2xyq = 2xz$$

$$(ii) x^2p^2 + y^2q^2 = z^2$$

$$(iii) (D^2 + DD' - 6D'^2)z = y \cos x \quad (6,6)$$

9. (a) Solve  $p^2 + q^2 = 1$  using variable separation method.

$$(b) \text{ Solve the partial differential equation } \frac{\partial^2 z}{\partial x^2} + x^2 \frac{\partial^2 z}{\partial y^2} = 0. \quad (6,6)$$