

16-5-17 Morning

[This question paper contains 7 printed pages]

Your Roll No. :

Sl. No. of Q. Paper : **1831** **GC-4**

Unique Paper Code : 32371208

Name of the Course : **B.Sc.(Hons.) Statistics**

Name of the Paper : Probability &
Probability
Distributions

Semester : II

Time : 3 Hours **Maximum Marks : 75**

Instructions for Candidates :

- (a) Write your Roll No. on the top immediately on receipt of this question paper.
- (b) Attempt **six** questions in **all**.
- (c) Question No. **1** is compulsory.
From the remaining questions do any **five** questions by selecting at least **two** questions from **each** section.
- (d) Use of simple calculator is allowed.

1. (a) For what value of k,

$$f(x) = \begin{cases} ke^{-2x} & ; x \geq 0, \\ 0 & ; x < 0, \end{cases}$$

is the probability density function of a random variable X.

P.T.O.

- (b) If X and Y are independent Cauchy variates with parameters (λ_1, μ_1) and (λ_2, μ_2) respectively then find the distribution of $(X + Y)$. 1
- (c) If the characteristic function $\phi_x(t)$ of a continuous random variable X is given, then how will you find p.d.f $f(x)$? 1
- (d) State the relationship between $M_x(t)$ and μ'_r . 1
- (e) If two variables X and Y are independent then what is $E(Y/X)$? 1
- (f) Let X be a random variable with probability distribution :

$X = x$	-2	2	4
$P(X = x)$	1/8	1/2	3/8

Find $E(X)$ and $\text{Var}(X)$ 2

- (g) Let X and Y have the joint p.d.f.
 $f(x, y) = c(2x + y)$; $0 \leq x \leq 1$, $0 \leq y \leq 2$,
 then find c . 2

7. (a) If $X \sim N(0, 1)$ and $Y \sim N(0, 1)$ are independent random variables, then find the mean deviation about mean of $(X - Y)$. 6
- (b) Let $X \sim \beta_1(m, n)$ and $Y \sim \gamma(m + n)$ be independent random variables, ($m, n > 0$). Find the p.d.f. of XY and identify the distribution. 6
8. (a) Define hypergeometric distribution and find its mean. Obtain binomial distribution as a limiting case of hypergeometric distribution. 6
- (b) X_1, X_2, \dots, X_n are independent random variable having exponential distribution each with parameter λ . Obtain the distribution of $Y = X_1 + X_2 + \dots + X_n$ and hence find mean of Y . 6

- (b) Let X be the negative binomial variate with p.m.f.,

$$f(x) = \begin{cases} \binom{k+x-1}{x} q^x p^k & ; x = 0, 1, 2, \dots \\ 0 & ; \text{otherwise} \end{cases}$$

Show that the moment recurrence formula is :

$$\mu_{r+1} = q \left(\frac{d\mu_r}{dq} + \frac{rk}{p^2} \mu_{r-1} \right), r = 1, 2, \dots$$

Hence find variance of X . 6

6. (a) If X and Y are independent Poisson variates such that

$$V(X+Y) = 4 \text{ and } P(X=3 | X+Y=6) = 5/16,$$

then find $E(X)$ and $V(Y)$. 6

- (b) If $X \sim N(\mu, \sigma^2)$, then find the p.d.f. of $Y = e^X$ and identify it. Also find the coefficient of variation of Y . 6

- (h) If $\text{Cov}(aX + bY, bX + aY) = ab \text{Var}(X + Y)$, then comment on the independence of X and Y . 2

- (i) The probability distribution of a random variable X is :

$$P(X=x) = (1/2)^x ; x = 1, 2, \dots$$

Then find mean and mode of X . 2

- (j) If the p.d.f. of a random variable X is :

$$f(x) = c \exp[-(x^2 - 6x + 9)/24] ; -\infty < x < \infty,$$

then find c , mean and variance of X . 2

Section - A

2. (a) Let X be a random variable with p.m.f. given by : 6

$X = x$	0	1	2	3	4	5	6	7
$P(X = x)$	0	k	$2k$	$2k$	$3k$	k^2	$2k^2$	$7k^2 + k$

- (i) find k ,
 (ii) find $P(X < 6)$ and $P(0 < X < 5)$,

- (iii) if $P(X \leq a) > \frac{1}{2}$, find the minimum value of a ,
 (iv) determine the distribution function of X .

(b) For the distribution :

$$dF(x) = \begin{cases} y_0 \left(1 - \frac{1}{a}|x-b|\right) dx, & b-a < x < b+a \\ 0, & \text{otherwise} \end{cases}$$

calculate y_0 , mean and variance. 6

3. (a) Let X be a random variable taking non-negative integral values. If the moments of X are given by :

$$E(X^r) = 0.6 ; r = 1, 2, 3, \dots$$

then find m.g.f. of X . Also, show that $P(X=0) = 0.4$, $P(X=1) = 0.6$, $P(X \geq 2) = 0$.

- (b) An urn contains balls numbered 1, 2, 3. First a ball is drawn from the urn and then a fair coin is tossed as many times, as the number shown on the ball drawn. Find the expected number of tails. 6

4. (a) Define the characteristics function of a random variable. Show that the characteristic function of sum of two independent random variables is equal to the product of their characteristic functions. Is the converse true, if not justify. 6

(b) If the joint p.m.f. of X and Y is given by :

6

$$p(x,y) = \frac{(x-y)^2}{7} \text{ for } x = 1, 2 \text{ and } y = 1, 2, 3.$$

find :

- (i) the marginal distribution of Y ,
 (ii) the joint distribution of $U = X + Y$ and $V = X - Y$,
 (iii) the marginal distribution of U .

Section - B

5. (a) Find the m.g.f. of standard binomial variate $(X - np) / \sqrt{npq}$ and obtain its limiting form as $n \rightarrow \infty$. Also interpret the result. 6