This question paper contains 12 printed pages]

Roll No.											
----------	--	--	--	--	--	--	--	--	--	--	--

S. No. of Question Paper: 5708

Unique Paper Code

: 2343012008

Name of the Paper

: Introduction to Web Programming

Name of the Course

: Computer Science Elective

Semester

: IV

Duration: 3 Hours

Maximum Marks: 90

(Write your Roll No. on the top immediately on receipt of this question paper.)

This question paper has two sections A and B.

Question No. 1 in Section A is compulsory.

Attempt any 4 questions from Section B.

Parts of a question must be attempted together.

Section A carries 30 marks and each question

in Section B carries 15 marks.

Section A

(a) Write HTML code to create a navigation bar with the links: Home,
 About, Services, and Contact. Style the bar using an external CSS file named "styles.css".

(b)	For a website http://www.abc.com write two HTML statements to display
_	the logo image "mylogo.jpeg" saved in a sub folder "images" using absolute
	and relative paths.
(c)	Write HTML code to display an ordered list as shown below:
	(1) Programming Languages
	(A) Python
	(B) JavaScript
	(C) Java
	(2) Web Development Frameworks
	(A) React
	(B) Angular
	(C) Vue.js
(d)	Write CSS code to create a hover effect on a button such that the
	background colour of the button is changed to red when the user hovers
	mouse over it.
(e)	Write a JavaScript code that accepts two numbers from the user and
	displays their sum, difference, multiplication and division.

- (f) Write jQuery code that changes the background colour of the webpage to a random colour every time the user clicks a button.
- (g) Design a dropdown menu in HTML that displays a list of country names. Using JavaScript, display an alert showing the name of the selected country whenever the user makes a selection.
- (h) Explain the following tags with an example:
 - (i) <section>
 - (ii) <nav>
 - (iii) <figure>

Section B

(a) Define a paragraph containing the text "Work Hard, Dream Big". Using jQuery this object change the text colour to blue whenever the text is clicked.

5708

What is the role of JSON.parse() and JSON.stringify() in web
APIs ? Given the following JSON string, parse it into a JavaScript
object:

const jsonString = ' {"name": "Alice", "age": 25, "city":
"New York"}';
const jsonObject = JSON.parse(jsonString);

Determine the output obtained on the console.

console.log(jsonObject);

- Print each of the properties (name, age, and city) from the parsed object.
- Define a JavaScript function average() that calculates and returns the average of the numbers passed to it. The function average() should accept variable number of arguments. Call this function to calculate average of 45, 60, 72, 39 and 68. Print the final answer inside a <div>tag.

- 3. (a) How is event handling performed in JavaScript? Write a script that handles the click event on a button and performs the following actions when the button is clicked:
 - Change the text of a paragraph element
 - · Toggle the visibility of an image
 - Close the current window
 - (b) Draw the sitemap of an online language learning website that offers courses to learn English, French and German. The website offers two to three courses for these languages. Use hierarchical website structure.
 - (c) Write the appropriate HTML code snippets to perform the following tasks:
 - (i) Emphasize the word "essential" in the sentence : "Teamwork is essential to success."
 - (ii) Create a drop-down menu with options: "Red," "Blue," "Green," and "Yellow."
 - (iii) Create a checkbox that says "Accept Terms and Conditions."

5

- (iv) Add an image with the filename "banner.jpg" that is 600px wide with alternative text "Website Banner."
- (v) Display the number 5×10^6 using HTML superscript tag.

4.	(a)	Write	the	HTML	code	to	create	the	table	given	below	:
----	-----	-------	-----	------	------	----	--------	-----	-------	-------	-------	---

	С.	F	H			
À	D	C	I	V		
В	ВЕ		J] ^		

- (b) Design an HTML page with two input boxes: one for a number and one for a divisor. Define a JavaScript function isMultiple() that checks if the first number is a multiple of the second number. The function should be called when the second input box loses focus. Display the result in an alert box.
- (c) Create an HTML page with a text input box. Write a jQuery function to validate that the input is not empty when the user leaves the field.

 If the input is left empty, display a red border around the text box and an error message below the field.

```
(a) Determine the output of the following code given below:
                                                               4
     <html>
     <body>
        <div id="content">Hello</div>
        <script>
           let div = document.getElementById("content");
           div.innerHTML += " World!";
           console.log(div.innerHTML);
        </script>
    </body>
    </html>
```

(b) Consider the script given below and explain the working of each line of code: <html> <body> <div id="box">Box</div> <button id="buttonl">Click Me!</button> <script> let box = document.getElementById("box"); let btnl = document.getElementById("buttonl"); btnl.addEventListener('click', function() { if (box.style.width === '200px') { box.style.width = '100px'; box.style.height = '100px'; else { box.style.width = '200px'; box.style.height = '200px'; }); </script>

</body>

</html>

- (c) Using a diagram, explain the difference between padding and margin. Write their syntax and usage with the help of a suitable example.
- 6. (a) What are the two ways to wait for a web page to load in jQuery? Write script to print "Hello World" on a web page after the document has finished loading through both ways.
 - (b) What will be the output of the JavaScript code given below? Give reason:

```
for (let i = 1; i <= 10; i++)
{
   if (i > 5) break;
   if (i%2 === .0) continue;
   document.writeln(i);
```

`}

(10) 5708

(c) Create an HTML document with a form containing the following fields: Full Name, Date of Birth, Phone Number and Email Address.

Write jQuery code to perform the following tasks:

- When the "Full Name" textbox receives focus, change its background colour to light yellow.
- If the "Full Name" textbox is left blank upon losing focus, change the background colour to light coral; otherwise, reset it to white.
- If the "Phone Number" textbox contains an invalid phone number (less than 10 digits or not numeric), change its background colour to light red and display an error message below it.
- When the "Email Address" textbox receives focus, check if the email address is valid or not. If @ symbol is missing, change its background colour to light pink and show an error message.

(a) Identify and explain the error in the code. How can it be fixed? 5 1 function outerFunction() { 2 var outerVar = "I am outer"; 3 function innerFunction(){ 4 - document.write (outerVar); 5 var innerVar = "I am inner"; 6 } 7 innerFunction(); document.write (innerVar); 9

(b) Create a simple external CSS file green.css that turns all paragraphs green and center aligns them. Write the HTML to link and apply that stylesheet to a paragraph element.

10

outerFunction();

- (c) Design an HTML page with embedded CSS to create a table with 3 rows and 2 columns with formatting as given below:
 - Background color of the header row is "blue".
 - · Header text color is "white".
 - The table border color is "black" and should be "2px" thick.
 - Alternate rows of the table should have a light blue background color.